

## Product Overview

### Modular Enterprise Chassis 1 HU with 3 Slots



## Description

In central distribution centres the requirement of converting existing connections into different media is demanded. For this application a system is needed, which can be easily mounted into the distribution rack and flexibly adjustable to the requirements.

All insertion cards are supplied with power by a central power supply unit via a central backplane.

The MICROSENS 19" Modular System is based on an insertion chassis for the installation into a 19" rack and is available as 3 HU as well as 1 HU system.

The converters are designed as Modules. Up to 3 Modules can be mounted into one chassis. Various Modules for the conversion of different interfaces are available. All Modules of the same product line can be combined with each other and can be exchanged during operation (Hot Swap).

All connections are accessible from the front, which considerably facilitates the installation and maintenance.

## Properties

- 3 module slots, horizontal mounting
- Compact design, one height unit
- Integrated power supply, all three slots are available for access modules
- Optional version with redundant power supply

## Order Information

### Description

### Article Number

---

Enterprise Chassis 1 HU, 3 module slots, incl. 40 VA power supply

**MS416006M**

Enterprise Chassis 1 HU, 3 Modules, incl. 2x40 VA power supply (Redundancy)

**MS416007M**

## Accessories

<b>Description</b>	<b>Article Number</b>
SNMP management module for modular converter systems Rev. B	<b>MS416020-B</b>
Blank cover for 19" Chassis	<b>MS416100</b>
Power cord EU/C13 with locking system, 3x1mm <sup>2</sup> (US:AWG18) black 2m	<b>MS190004VS</b>
Power cord UK/C13 with locking system, 3x1mm <sup>2</sup> (US:AWG18) black 2m	<b>MS190005VS</b>
Power cord US/C13 with locking system, 3x1mm <sup>2</sup> (AWG18) black 2m	<b>MS190006VS</b>

This document in whole or in part may not be duplicated, reproduced, stored or retransmitted without prior written permission of MICROSENS GmbH & Co. KG. All information in this document is provided 'as is' and subject to change without notice. MICROSENS GmbH & Co. KG disclaims any liability for the correctness, completeness or quality of the information provided, fitness for a particular purpose or consecutive damage. MICROSENS is a trademark of MICROSENS GmbH & Co. KG. Any product names mentioned herein may be trademarks and/or registered trademarks of their respective companies.

© 2018.05.08 MICROSENS GmbH & Co. KG - 59067 Hamm/Germany - Tel. +49 2381 9452-0 - [www.microsens.com](http://www.microsens.com)